


NERI

Light 111 C



Characterised by contemporary architectural post top design, with choice of two screens(Clear/ Frosted) and lumen packages up to 6500 lumens.Light 111 C meets demands of today's lighting designers, architects and engineers.



LIGHT 111 C

Mounting

- Suitable for Post Top mounting on pipe Ø76mm.

Materials

- Die-cast aluminium
- Polycarbonate
- Stainless steel fasteners

Structure - Main components


- Upper Frame in Circular shape made of Die Cast Aluminium.
- Lower frame also made of die-cast aluminium.
- Transparent Screen in PC.
- Silicone gasket between the upper and lower frames.

Electrical Auxiliaries


- Electronic power supply (Dimmable available on request) for LED module which gives Protection against short circuit, over current, over voltage & Surges.

Powder Coating

- Standard color is Black.
- Other colors of RAL range on request.



Front View



Top View



TECHNICAL CHARACTERISTICS – LED MODULE

CCT & CRI OPTIONS

3000K - CRI>70

4000K - CRI>70

Other CCT's & CRI's Available on request


FLUX OPTIONS

3750lm


6500lm

OPTICS


Type III



Type V



LIGHT 111 C





Neri S.p.A.
S.S. Emilia 1622
47020 Longiano (FC) · Italy
T +39 0547 652111
F +39 0547 54074

Neri France S.à.r.l.
3, rue du Colonel Moll
75017 Paris · France
T +33 1 42 79 57 43

Neri North America Inc.
1547NW 79th Avenue
Miami, FL 33126, USA
T +1 786 315 4367
F +1 786 693 7763

Neri Lighting India Pvt. Ltd.
Plot No 46A,
4th phase KIADB Industrial Area,
Malur, Karnataka 563 130
Ph: +91 81512 00145

Neri S.p.A. (DMCC Branch)
29-29 Reef Tower Cluster O
JLT – Jumeirah Lake Towers
P.O. Box: 5003348 · Dubai · UAE
T +971 4 448 7246
F +971 4 448 7112

www.neri.biz

