


NERI

Light 21 C



Characterised by heritage architectural post top design, with choice of two screens(Clear/ Frosted) and lumen packages up to 6000 lumens. Light 21 C meets demands of today's lighting designers, architects and engineers.



LIGHT 21 C

Mounting

- Suitable for upright & suspended mounting.
- Upright-Flange with a hole (\varnothing 28 mm) at the center for mounting to the support.
- Suspended-Connection with threaded tube male G 3/4"

Materials

- Spun aluminium.
- Steel.
- Acrylic (PMMA).
- Stainless steel fasteners.

Structure - Main components


- Body in bell shape made of spun aluminium.
- For upright mounting-bracket with two arms made of steel with flange equipped with a hole (\varnothing 28 mm).
- Transparent Drop Screen in Acrylic (PMMA).

Electrical Auxiliaries


- Electronic power supply (Dimmable available on request) for LED module which gives Protection against short circuit, over current, over voltage & Surges.

Powder Coating

- Standard color is Neri grey
- Other colors of RAL range on request.




Front View




Top View

Post Top mounting



Front View



Top View

Suspended mounting



TECHNICAL CHARACTERISTICS - LED MODULE

CCT & CRI OPTIONS

3000K - CRI>70

4000K - CRI>70

Other CCT's & CRI's available on request

FLUX OPTIONS

2500lm


3500lm

4500lm


6000lm

OPTICS



Type II



Type V



LIGHT 21 C





Neri S.p.A.
S.S. Emilia 1622
47020 Longiano (FC) · Italy
T +39 0547 652111
F +39 0547 54074

Neri France S.à.r.l.
3, rue du Colonel Moll
75017 Paris · France
T +33 1 42 79 57 43

Neri North America Inc.
1547NW 79th Avenue
Miami, FL 33126, USA
T +1 786 315 4367
F +1 786 693 7763

Neri Lighting India Pvt. Ltd.
Plot No 46A,
4th phase KIADB Industrial Area,
Malur, Karnataka 563 130
Ph: +91 81512 00145

Neri S.p.A. (DMCC Branch)
29-29 Reef Tower Cluster O
JLT – Jumeirah Lake Towers
P.O. Box: 5003348 · Dubai · UAE
T +971 4 448 7246
F +971 4 448 7112

www.neri.biz

